## **Index to Volume 199**

Abraham	EC, see, Cherian-Shaw	Met	al
Akiyama	H, see Kato S et al.		
Alban P.	see Hurd C et al.		

This is the second of the seco	
Alban P, see Hurd C et al.	
Benech JC, see Teijeiro RG et al.	
Bitting L, Watson FL, O'Hara BF, Kilduff TS and Heller HC: HSP70 expression is increased during the day in a diurnal animal, the Golden-mantled ground squirrel Spermophilus lateralis	25-34
Boittin M, see Demoor-Fossard M et al.	
Börchers T, see Buhlmann C et al.	
Buhlmann C, Börchers T, Pollak M and Spener F: Fatty acid metabolism in human breast cancer cells (MCF7) transfected with heart-type fatty acid binding protein	41-48
Castranova V, see Shi X et al.	
Chen F, see Shi X et al.	
Cherian-Shaw M, Smith JB, Jiang X-Y and Abraham EC: Intrapolypeptide disulfides in human αA-crystallin and their effect on chaperone-like function	163–16
Chiang Y, Rizzino A, Sibenaller ZA, Wold MS, Vishwanatha JK: Specific down-regulation of annexin II expression in human cells interferes with cell proliferation	139–14
Curti C, Mingatto FE, Polizello ACM, Galastri LO, Uyemura SA and Santos AC: Fluoxetine interacts with the lipid bilayer of the inner membrane in isolated rat brain mitochondria, inhibiting electron transport and $F_1F_0$ -ATPase activity	103-109
Demoor-Fossard M, Boittin M, Redini F and Pujol J-P: Differential effects of interleukin-1 and transforming growth factor β on the synthesis of small proteoglycans by rabbit articular chondrocytes cultured in alginate beads as compared to monolayers	69-86
Dinda S, see Hurd C et al.	
Ding M see Shi X et al	

Ferretti G, see Rabini RA et al. Franklin CC, see Srikanth S et al.

Dong Z, see Shi X et al.
Dousset N, see Rabini RA et al.
Duke RC, see Srikanth S et al.

Galastri LO, see Curti C et al. Galeazzi T, see Rabini RA et al. Gill KD, see Sarin S Gist ID, see Kiang JG et al.

Harris V, see Meighan-Mantha RL et al.

Heller HC, see Bitting L et al.

Hirano M, see Kato S et al.

Hurd C, Nag K, Khattree N, Alban P, Dinda S and Moudgil VK: Agonist and antagonist-induced qualitative and quantitative alterations of progesterone receptor from breast cancer cells

Idell S, see Shetty S Ijiri H, see Komori S et al. Ishida T, see Ueyama T et al. Ishihara T, see Komori S et al.

Jackson J and Paulose CS: Enhancement of [m-methoxy <sup>3</sup>H]MDL100907 binding to 5HT<sub>2A</sub> receptors in cerebral cortex and brain stem of streptozotocin induced diabetic rats

81-85

49-56

Jiang X-Y, see Cherian-Shaw M et al. Kaneko N, see Kato S et al. Kasid U, see Meighan-Mantha RL et al. Kato S, Kumamoto H, Hirano M, Akiyama H and Kaneko N: Expression of 5-HT2A and 5-HT1B receptor mRNA in blood 57-62 vessels Kawai M, see Ueyama T et al. Kawashima S, see Ueyama Tet al. Key LL Jr, see Yang S et al. Khattree N, see Hurd C et al. Kiang JG, Gist ID and Tsokos GC: Biochemical requirements for the expression of heat shock protein 72 kDa in human breast cancer MCF-7 cells 179-188 Kilduff TS, see Bitting Let al. Kohno I, see Komori S et al. Komori S, Li B, Matsumura K, Takusagawa M, Sano S, Kohno I, Osada M, Sawanobori T, Ishihara T, Umetani K, Ijiri H and Tamura K: Antiarrhythmic effect of magnesium sulfate against occlusion-induced arhythmias and reperfusion-induced arrhythmias in anesthetized rats 201-208 Kraft AS, see Srikanth Set al. Kumamoto H. see Kato S et al. Leonard SS, see Shi X et al. Li B, see Komori S et al. Lozano C, see Meighan-Mantha RL et al. Matsumura K, see Komori S et al. Mattagajasingh SN and Misra HP: Analysis of EDTA-chelatable proteins from DNA-protein crosslinks induced by a carcinogenic chromium(VI) in cultured intact human cells 149-162 Mazzanti L, see Rabini RA et al. Meighan-Mantha RL, Riegel AT, Suy S, Harris V, Wang F-H, Lozano C, Whiteside TL, Kasid U: Ionizing radiation stimulates octamer factor DNA binding activity in human carcinoma cells 209-215 Mingatto FE, see Curti C et al. Misra HP, see Mattagajasingh SN Moudgil VK, see Hurd C et al. Murata T and Yamaguchi M: Binding of kidney nuclear proteins to the 5'-flanking region of the rat gene for Ca2+-binding protein regucalcin: Involvement of Ca2+/calmodulin signaling 35-40 Nag K, see Hurd C et al. Namiki M, see Ueyama Tet al. O'Hara BF, see Bitting Let al. Osada M, see Komori S et al. Parikh V and Singh M: Possible role of cardiac mast cell degranulation and preservation of nitric oxide release in isolated rat heart subjected to ischaemic preconditioning 1-6 Paulose CS, see Jackson J Poirier GG, see Scovassi AI Polizello ACM, see Curti C et al. Pollak M, see Buhlmann C et al. Pujol P, see Demoor-Fossard et al. Rabini RA, Tesei M, Galeazzi T, Dousset N, Ferretti G and Mazzanti L: Increased susceptibility to peroxidation of VLDL from non-insulin-dependent diabetic patients: A possible correlation with fatty acid composition 63 - 67Redini F, see Demoor-Fossard M et al. Rikitake Y, see Ueyama Tet al. Riegel AT, see Meighan-Mantha RL et al. Ries WL, see Yang S et al. Rizzino A, see Chiang et al.

15-24

Sakoda T, see Ueyama T et al.	
Sano S, see Komori S et al.	
Santos AC, see Curti C et al.	
Sarin S, Gill KD: Dichlorvos induced alterations in glucose homeostasis: Possible implications on the state of neuronal	
function in rats	87-92
Sawanobori T, see Komori S et al.	
Scovassi AI and Poirier GG: Poly(ADP-ribosylation) and apoptosis	125-137
Shetty S and Idell S: Posttranscriptional regulation of urokinase receptor gene expression in human lung carcinoma and	
mesothelioma cells in vitro	189-200
Shi X, Ding M, Dong Z, Chen F, Ye J, Wang S, Leonard SS, Castranova V, Vallyathan V: Antioxidant properties of aspirin: Characterization of the ability of aspirin to inhibit silica-induced lipid peroxidation, DNA damage, NF-κB activation, and TNF-α production	93-102
Sibenaller ZA, see Chiang Y et al.	23-102
Silveira JRS, see Teijeiro RG et al.	
Singh M, see Parikh V	
Smith JB, see Cherian-Shaw M et al.	
Sotelo JR, see Teijeiro RG et al.	
Spener F, see Buhlmann C et al.	
Srikanth S, Franklin CC, Duke RC and Kraft AS: Human DU145 prostate cancer cells overexpressive mitogen-activated	
protein kinase phosphatase-1 are resistant to Fas ligand-induced mitochondrial perturbations and cellular apoptosis	169-178
Suy S, see Meighan-Mantha RL et al.	
Takusagawa M, see Komori S et al.	
Tamura K, see Komori S et al.	
Teijeiro RG, Silveira JRS, Sotelo JR and Benech JC: Calcium efflux from platelet vesicles of the dense tubular system.  Analysis of the possible contribution of the Ca <sup>2+</sup> pump	7-14
Terjung RL, see Tullson PC	
Tesei M, see Rabini et al.	
Tsokos GC, see Kiang JG et al.	
Tullson PC and Terjung RL: IMP degradative capacity in rat skeletal muscle fiber types	111-117
Ueyama T, Kawashima S, Sakoda T, Rikitake Y, Ishida T, Kawai M, Namiki M and Yokoyama M: Endothelin-1	
activates p38 mitogen-activated protein kinase via endothelin-A receptor in rat myocardial cells	119-124
Umetani K, see Komori S et al.	
Uyemura SA, see Curti C et al.	
Vallyathan V, see Shi X et al.	
Vishwanatha JK, see Chiang Y et al.	
Visiwanatha JR, see Chiang 1 et al.	
Wang F-H, see Meighan-Mantha RL et al.	
Wang S, see Shi X et al.	
Watson FL, see Bitting Let al.	
Whiteside TL, see Meighan-Mantha RL et al.	
Wold MS, see Chiang Y et al.	
Yamaguchi M, see Murata T	
Yang S, Ries WL and Key Jr LL: Superoxide generation in transformed B-lymphocytes from patients with severe, malignant	

osteopetrosis

Ye J, see Shi X et al.

Yokoyama M, see Ueyama T et al.